
The Parkview Suite





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

(P) = Phone Point

= ISDN line

 $\mathsf{TV} = \mathsf{T.} \mathsf{V.} \mathsf{Socket}$

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

The Parkview Suite

Room plan: Theatre Capacity: 64 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

(P) = Phone Point

= ISDN line

 $\mathsf{TV} \ = \ \mathsf{T.} \ \mathsf{V.} \ \mathsf{Socket}$

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

The Parkview Suite

Room plan: Boardroom Capacity: 32 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

The Parkview Suite

Room plan: U-shape Capacity: 32 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

The Parkview Suite

Room plan: Classroom Capacity: 40 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

The Parkview Suite

Room plan: Cabaret Capacity: 40 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

I = ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen

A/C = Heating / Aircon


Diagrams are not to scale, layouts are representative.

The Parkview Suite

Room plan: Rounds for dinner

Capacity: 60 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

I = ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

The Parkview Suite

Room plan: Oval Capacity: 32 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

= ISDN line

 $\mathsf{TV} \ = \ \mathsf{T.} \ \mathsf{V.} \ \mathsf{Socket}$

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen

A/C = Heating / Aircon


Diagrams are not to scale, layouts are representative.

The Parkview Suite

Room plan: Stand-up reception

Capacity: 60 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen

A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.