
Keats Suite





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

Keats Suite

Room plan: Theatre Capacity: 32 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

 \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

Keats Suite

Room plan: Boardroom Capacity: 16 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

Keats Suite

Room plan: U-shape Capacity: 18 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

Keats Suite

Room plan: Classroom Capacity: 22 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

Keats Suite

Room plan: Cabaret Capacity: 18 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

I = ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen

A/C = Heating / Aircon


Diagrams are not to scale, layouts are representative.

Keats Suite

Room plan: Rounds for dinner

Capacity: 30 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

Keats Suite

Room plan: Oval Capacity: 20 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen

A/C = Heating / Aircon


Diagrams are not to scale, layouts are representative.

Keats Suite

Room plan: Stand-up reception

Capacity: 30 people





KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

P = Phone Point

I = ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen

A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.