
### **Great Hall and Wadesmill**





#### KEY:

Z = 13 Amp Sockets

32A = 32 AMP Single Phase

(P) = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

#### Great Hall and Wadesmill

Room plan: Theatre Capacity: 100 people





KEY:

Z = 13 Amp Sockets

**32A** = 32 AMP Single Phase

(P) = Phone Point

= ISDN line

TV = T. V. Socket L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

### Great Hall and Wadesmill

Room plan: Boardroom Capacity: 60 people





KEY:

Z = 13 Amp Sockets

**32A** = 32 AMP Single Phase

(P) = Phone Point

= ISDN line

 $\mathsf{TV} \ = \ \mathsf{T.} \ \mathsf{V.} \ \mathsf{Socket}$ 

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

### Great Hall and Wadesmill

Room plan: U-shape Capacity: 60 people





KEY:

**Z** = 13 Amp Sockets

32A = 32 AMP Single Phase

(P) = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

### Great Hall and Wadesmill

Room plan: Classroom Capacity: 100 people





KEY:

**Z** = 13 Amp Sockets

32A = 32 AMP Single Phase

(P) = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

### Great Hall and Wadesmill

Room plan: Cabaret Capacity: 80 people





KEY:

Z = 13 Amp Sockets

**32A** = 32 AMP Single Phase

(P) = Phone Point

= ISDN line

TV = T. V. Socket L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen

A/C = Heating / Aircon


Diagrams are not to scale, layouts are representative.

### Great Hall and Wadesmill

Room plan: Rounds for dinner

Capacity: 130 people





KEY:

Z = 13 Amp Sockets

**32A** = 32 AMP Single Phase

(P) = Phone Point

I = ISDN line

TV = T. V. Socket L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

### Great Hall and Wadesmill

Room plan: Oval Capacity: 60 people





KEY:

**Z** = 13 Amp Sockets

**32A** = 32 AMP Single Phase

(P) = Phone Point

= ISDN line

TV = T. V. Socket L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen

A/C = Heating / Aircon


Diagrams are not to scale, layouts are representative.

### **Great Hall and Wadesmill**

Room plan: Stand-up reception

Capacity: 200 people





KEY:

Z = 13 Amp Sockets

**32A** = 32 AMP Single Phase

(P) = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen


A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.

### Great Hall and Wadesmill

Room plan: Informal Capacity: 150 people





KEY:

Z = 13 Amp Sockets

**32A** = 32 AMP Single Phase

(P) = Phone Point

= ISDN line

TV = T. V. Socket

L/S = Light Switch

C L = Chandelier / Ceiling light

= Screen

A/C = Heating / Aircon

Diagrams are not to scale, layouts are representative.